

AUTHOR INDEX OF VOLUME 11

Issue Page

- | | | | |
|---|-----|---------------------|---|
| 1 | 37 | P.A. Assimakopoulos | ANNA: an interactive program for analysis of one—dimensional pulse—height spectra. |
| 1 | 141 | A.R. Barnett | RCWFF — a modification of the real Coulomb wavefunction program RCWFN. |
| 3 | 339 | R. Bauer | Computation of the anisotropic cubic elastic Green's tensor function and the elastic energy coefficients of point defects in crystals. |
| 3 | 313 | D. Berger | A finite element approach to the computation of the MHD spectrum of straight noncircular plasma equilibria. |
| 1 | 1 | A.K. Bose | Computing dimensions of irreducible representations of simple Lie algebras. |
| 2 | 159 | A.K. Bose | An algorithm for generating the positive roots of simple Lie algebras. |
| 3 | 385 | G.B. Brundrit | Calculation of the form of an equilibrium poloidal magnetic field contained in a polytropic star. |
| 1 | 27 | T. Burnett | A program to calculate Green's functions. |
| 1 | 75 | D.C. Camp | A program for calculating gamma—gamma directional correlation coefficients and mixing ratios. |
| 1 | 57 | N.A. Cherepkov | Self—consistent field Hartree—Fock program for atoms. |
| 1 | 57 | L.V. Chernysheva | Self—consistent field Hartree—Fock program for atoms. |
| 3 | 369 | A.R. Davies | BOLTZ: a code to solve the transport equation for electron distributions and then calculate transport coefficients and vibrational excitation rates in gases with applied fields. |
| 2 | 249 | R.M. DeVries | Quasi—bound state wavefunctions. |
| 1 | 49 | K.K. Docken | Dipole and overlap integrals between Slater—type functions and continuum Coulomb functions. |
| 1 | 95 | R.A. Eisenstein | DWPI: a computer program to calculate the inelastic scattering of pions from nuclei. |
| 2 | 287 | F. Fernandez | Identification of nuclear reactions registered in ionographic detectors. |
| 1 | 49 | A.L. Ford | Dipole and overlap integrals between Slater—type functions and continuum Coulomb functions. |
| 2 | 287 | V. Gandia | Identification of nuclear reactions registered in ionographic detectors. |
| 3 | 407 | C. Gaussorgues | Erratum notice. Multistate molecular treatment of atomic collisions in the impact parameter approximation. I. Integration of coupled equations and calculation of transition amplitudes for the straight line case. |
| 2 | 237 | F.A. Gianturco | A new version of a program calculating the static interaction potential between an electron and a diatomic molecule. |
| 1 | 125 | R. Glass | Adaptation of CIV3 to evaluate hyperfine structure. |
| 3 | 299 | D.H. Gloeckner | The use of first and second derivatives in optical model parameter searches. |

Issue Page

- | | | | |
|---|-----|-----------------|---|
| 2 | 269 | R.G. Gordon | Recursive evaluation of $3j$ — and $6j$ — coefficients. |
| 3 | 397 | I.P. Grant | A program to calculate angular momentum coefficients in relativistic atomic structure — revised version. |
| 3 | 313 | R. Gruber | A finite element approach to the computation of the MHD spectrum of straight noncircular plasma equilibria. |
| 3 | 353 | R.W. Hasse | One—dimensional wave packet solutions of time—dependent frictional or optical potential Schrodinger equations. |
| 1 | 27 | R.J.W. Henry | A program to calculate Green's functions. |
| 1 | 125 | A. Hibbert | Adaptation of CIV3 to evaluate hyperfine structure. |
| 1 | 113 | R.J.W. Hodgson | Matrix elements of the reaction matrix in finite nuclei. |
| 2 | 287 | C. Jacquot | Identification of nuclear reactions registered in ionographic detectors. |
| 1 | 37 | S. Kossionides | ANNA: an interactive program for analysis of one—dimensional pulse—height spectra. |
| 1 | 75 | R.G. Lanier | A program for calculating gamma—gamma directional correlation coefficients and mixing ratios. |
| 3 | 339 | R.K. Leutz | Computation of the anisotropic cubic elastic Green's tensor function and the elastic energy coefficients of point defects in crystals. |
| 3 | 299 | M.H. Macfarlane | The use of first and second derivatives in optical model parameter searches. |
| 1 | 75 | E.S. Macias | A program for calculating gamma—gamma directional correlation coefficients and mixing ratios. |
| 3 | 385 | M.J. Miketinac | Calculation of the form of an equilibrium poloidal magnetic field contained in a polytropic star. |
| 1 | 95 | G.A. Miller | DWPI: a computer program to calculate the inelastic scattering of pions from nuclei. |
| 2 | 163 | J. Moscinski | A study of the electrical conductivity processes in amorphous semiconductors using the computer simulation method. I. One—dimensional case. |
| 2 | 169 | J. Moscinski | A study of the electrical conductivity processes in amorphous semiconductors using the computer simulation method. II. Two—dimensional case. |
| 2 | 177 | J. Moscinski | A study of the electrical conductivity processes in amorphous semiconductors using the computer simulation method. III. Three—dimensional case. |
| 2 | 143 | J. Nadrchal | Role of structured programming in physical applications. |
| 2 | 221 | M.J. O'Connell | Computing a Laplacian field component from boundary observations only. |
| 2 | 287 | M. Ortega | Identification of nuclear reactions registered in ionographic detectors. |
| 2 | 279 | P. Petrasch | Nonlinear computation of anisotropic elastic fields about straight edge dislocations. |
| 1 | 5 | L.G.K. Petravic | TRANAL: a program for the translation of Symbolic Algol I into Symbolic Algol II. |
| 1 | 5 | M. Petravic | TRANAL: a program for the translation of Symbolic Algol I into Symbolic Algol II. |
| 3 | 407 | R.D. Piacentini | Erratum notice. Multistate molecular treatment of atomic collisions in the impact parameter approximation. I. Integration of coupled equations and calculation of transition amplitudes for the straight line case. |

Issue Page

- | | | | |
|---|-----|-------------------|---|
| 3 | 299 | S.C. Pieper | The use of first and second derivatives in optical model parameter searches. |
| 1 | 57 | V. Radojevic | Self-consistent field Hartree-Fock program for atoms. |
| 2 | 183 | C.H. Rasmussen | Error analysis of code AROSA for quantal Coulomb excitation calculations. |
| 2 | 183 | G.H. Rawitscher | Error analysis of code AROSA for quantal Coulomb excitation calculations. |
| 1 | 5 | K.V. Roberts | TRANAL: a program for the translation of Symbolic Algol I into Symbolic Algol II. |
| 1 | 27 | S.P. Rountree | A program to calculate Green's functions. |
| 1 | 75 | W.D. Ruhter | A program for calculating gamma-gamma directional correlation coefficients and mixing ratios. |
| 2 | 163 | Z. Rycerz | A study of the electrical conductivity processes in amorphous semiconductors using the computer simulation method. I. One-dimensional case. |
| 2 | 169 | Z. Rycerz | A study of the electrical conductivity processes in amorphous semiconductors using the computer simulation method. II. Two-dimensional case. |
| 2 | 177 | Z. Rycerz | A study of the electrical conductivity processes in amorphous semiconductors using the computer simulation method. III. Three-dimensional case. |
| 2 | 199 | M. Salem | Converter of FORTRAN format and data statements to standard form. |
| 3 | 407 | A. Salin | Erratum notice. Multistate molecular treatment of atomic collisions in the impact parameter approximation. I. Integration of coupled equations and calculation of transition amplitudes for the straight line case. |
| 2 | 269 | K. Schulten | Recursive evaluation of $3j$ - and $6j$ - coefficients. |
| 3 | 363 | M. Schumacher | Non-relativistic form factor program for Compton scattering of gamma rays by bound electrons. |
| 3 | 363 | F. Smend | Non-relativistic form factor program for Compton scattering of gamma rays by bound electrons. |
| 3 | 369 | K. Smith | BOLTZ: a code to solve the transport equation for electron distributions and then calculate transport coefficients and vibrational excitation rates in gases with applied fields. |
| 3 | 325 | Y. Starkand | Subroutine for calculation of matrix Pade approximants. |
| 2 | 257 | A.S. Stefanescu | Program for optimal computation of EPR spin-Hamiltonian parameters for ions in tetragonal symmetry. |
| 3 | 369 | R.M. Thomson | BOLTZ: a code to solve the transport equation for electron distributions and then calculate transport coefficients and vibrational excitation rates in gases with applied fields. |
| 2 | 287 | M. Tomas | Identification of nuclear reactions registered in ionographic detectors. |
| 3 | 313 | F. Troyon | A finite element approach to the computation of the MHD spectrum of straight noncircular plasma equilibria. |
| 2 | 287 | A. Vidal-Quadrás | Identification of nuclear reactions registered in ionographic detectors. |
| 2 | 211 | E.D. von Meerwall | A flexible, all-purpose curve-fitting program. |
| 3 | 331 | E.D. von Meerwall | A simple FORTRAN program to interpret cubic X-ray powder diffraction data. |
| 1 | 27 | C.A. Weatherford | A program to calculate Green's functions. |

PROGRAM INDEX OF VOLUME 11

Astrophysics

Issue Page Cat.no.

- | | | | |
|---|-----|------|---|
| 3 | 385 | AAAI | POLOID (Fortran). Calculation of the form of an equilibrium poloidal magnetic field contained in a polytropic star. G.B. Brundrit, M.J. Miketinac. See other version of this program AAEE 7(1974)410. |
|---|-----|------|---|

Atomic Physics

- | | | | |
|---|-----|------|--|
| 1 | 57 | AAKQ | ATOMIC SCF HARTREE—FOCK (Algol). Self-consistent field Hartree—Fock program for atoms. L.V. Chernysheva, N.A. Cherepkov, V. Radojevic. |
| 1 | 125 | AAKF | 0001 ADAPT TENSOR FOR PRODUCTS (Fortran). Adaptation of CIV3 to evaluate hyperfine structure. R. Glass, A. Hibbert. Subroutines required by this program are ACQB 1(1969)15, ACRN 6(1973)88, AAGD 1(1970)241, AAGD0001 2(1971)180. |
| 1 | 125 | AAKM | 0001 ADAPT CIV3 FOR HFS (Fortran). Adaptation of CIV3 to evaluate hyperfine structure. R. Glass, A. Hibbert. Subroutines required by this program are ACQB 1(1969)15, ACRN 6(1973)88, AAGD 1(1970)241, AAGD0001 2(1971)180, AAGD0002 5(1973)161, ACQV 2(1971)180, ACQV0001 7(1974)318, ACQV0002 8(1974)329, AAKF 6(1973)132, AAKF0001 11(1976)125. |
| 1 | 141 | ABPC | 0001RCWFF (Fortran). RCWFF — a modification of the real Coulomb wavefunction program RCWFN. A.R. Barnett. |
| 3 | 353 | ACWT | FRICTION (Fortran). One-dimensional wave packet solutions of time-dependent frictional or optical potential Schrodinger equations. R.W. Hasse. |
| 3 | 363 | ACWW | COMPTON CROSS SECTIONS (Fortran). Non-relativistic form factor program for Compton scattering of gamma rays by bound electrons. F. Smend, M. Schumacher. |
| 3 | 397 | ACRJ | 000A CORRECTION 10/06/76 (Fortran). Appendix to a program to calculate angular momentum coefficients in relativistic atomic structure — revised version. I.P. Grant. |
| 3 | 397 | ACWE | MCP75 (Fortran). A program to calculate angular momentum coefficients in relativistic atomic structure — revised version. I.P. Grant. Subroutines required by this program are AAGD 1(1970)241, AAGD0002 5(1973)161, ACRI 4(1972)377. See other version of this program ACRJ 5(1973)263. |
| 3 | 407 | ACWJ | 000A CORRECTION 21/06/76 (Fortran). Multistate molecular treatment of atomic collisions in the impact parameter approximation. I. Integration of coupled equations and calculation of transition amplitudes for the straight line case. C. Gaussorgues, R.D. Piacentini, A. Salin. |

Crystallography

- | | | | |
|---|-----|------|--|
| 3 | 331 | ABMT | XRAY2 (Fortran). A simple FORTRAN program to interpret cubic X-ray powder diffraction data. E.D. von Meerwall. |
|---|-----|------|--|

Electrostatics

- | | | | |
|---|-----|------|---|
| 2 | 221 | ABCM | MAGNETSUITE (Fortran). Computing a Laplacian field component from boundary observations only. M.J. O'Connell. |
|---|-----|------|---|

General Purpose*Issue Page Cat.no.*

- | | | | |
|---|-----|------|---|
| 1 | 5 | ABUN | TRANAL (Algol). TRANAL: a program for the translation of Symbolic Algol I into Symbolic Algol II. L.G.K. Petravic, M. Petravic, K.V. Roberts. |
| 1 | 27 | ACWN | GRN1 (Fortran). A program to calculate Green's functions. S.P. Rountree, T. Burnett, R.J.W. Henry, C.A. Weatherford. |
| 1 | 141 | ABPC | 0001RCWFF (Fortran). RCWFF — a modification of the real Coulomb wavefunction program RCWFN. A.R. Barnett. |
| 2 | 199 | ACWP | FORMAT AND DATA CONVERTER (Fortran). Converter of FORTRAN format and data statements to standard form. M. Salem. |
| 2 | 211 | ABMR | UNIFIT2 (Fortran). A flexible, all—purpose curve—fitting program. E.D. von Meerwall. |
| 2 | 269 | ACWQ | J1—RECURSION OF 3J—COEFFICIENTS (Fortran). Recursive evaluation of 3j— and 6j— coefficients. K. Schulten, R.G. Gordon. |
| 2 | 269 | ACWR | M2—RECURSION OF 3J—COEFFICIENTS (Fortran). Recursive evaluation of 3j— and 6j— coefficients. K. Schulten, R.G. Gordon. |
| 2 | 269 | ACWS | J1—RECURSION OF 6J—COEFFICIENTS (Fortran). Recursive evaluation of 3j— and 6j— coefficients. K. Schulten, R.G. Gordon. |
| 3 | 325 | ACWV | PADE APPROXIMANTS (Fortran). Subroutine for calculation of matrix Pade approximants. Y. Starkand. |

Laser Physics

- | | | | |
|---|-----|------|---|
| 3 | 369 | ACWX | BOLTZ (Fortran). BOLTZ: a code to solve the transport equation for electron distributions and then calculate transport coefficients and vibrational excitation rates in gases with applied fields. R.M. Thomson, K. Smith, A.R. Davies. |
|---|-----|------|---|

Molecular Physics

- | | | | |
|---|-----|------|--|
| 1 | 49 | ABWB | ONEINT (Fortran). Dipole and overlap integrals between Slater—type functions and continuum Coulomb functions. K.K. Docken, A.L. Ford. |
| 2 | 237 | ACWO | OCEP W.F. AND STATIC POTENTIAL (Fortran). A new version of a program calculating the static interaction potential between an electron and a diatomic molecule. F.A. Gianturco. See other version of this program ACQW 2(1971)261. |
| 3 | 407 | ACWJ | 000A CORRECTION 21/06/76 (Fortran). Multistate molecular treatment of atomic collisions in the impact parameter approximation. I. Integration of coupled equations and calculation of transition amplitudes for the straight line case. C. Gaussorgues, R.D. Piacentini, A. Salin. |

Nuclear Physics

- | | | | |
|---|-----|------|--|
| 1 | 37 | ABMN | ANNA (Fortran). ANNA: an interactive program for analysis of one—dimensional pulse—height spectra. P.A. Assimakopoulos, S. Kossionides. |
| 1 | 75 | ABPG | ANGCOR (Fortran). A program for calculating gamma—gamma directional correlation coefficients and mixing ratios. E.S. Macias, W.D. Ruhter, D.C. Camp, R.G. Lanier. |
| 1 | 95 | ABIG | DWPI (Fortran). DWPI: a computer program to calculate the inelastic scattering of pions from nuclei. R.A. Eisenstein, G.A. Miller. Subroutine required by this program is ABCJ 8(1974)130. |
| 1 | 113 | ABIE | REFERENCE REACTION MATRIX (Fortran). Matrix elements of the reaction matrix in finite nuclei. R.J.W. Hodgson. Subroutine required by this program is ABIF 11(1976)113. |

Nuclear Physics (cont.)*Issue Page Cat.no.*

- | | | | |
|---|-----|------|---|
| 1 | 113 | ABIF | REACTION MATRIX (Fortran). Matrix elements of the reaction matrix in finite nuclei. R.J.W. Hodgson. Subroutine required by this program is ABIE 11(1976)113. |
| 1 | 141 | ABPC | 0001RCWFF (Fortran). RCWFF — a modification of the real Coulomb wavefunction program RCWFN. A.R. Barnett. |
| 2 | 221 | ABCM | MAGNETSUITE (Fortran). Computing a Laplacian field component from boundary observations only. M.J. O'Connell. |
| 2 | 249 | ABMQ | QUASI—BOUND STATE WAVEFUNCTIONS (Fortran). Quasi—bound state wavefunctions. R.M. DeVries. |
| 2 | 287 | ABKF | JOTOV (Fortran). Identification of nuclear reactions registered in ionographic detectors. M. Ortega, A. Vidal—Quadras, M. Tomas, F. Fernandez, V. Gandia, C. Jacquot. |
| 3 | 353 | ACWT | FRICTION (Fortran). One—dimensional wave packet solutions of time—dependent frictional or optical potential Schrodinger equations. R.W. Hasse. |

Plasma Physics

- | | | | |
|---|-----|------|---|
| 3 | 369 | ACWX | BOLTZ (Fortran). BOLTZ: a code to solve the transport equation for electron distributions and then calculate transport coefficients and vibrational excitation rates in gases with applied fields. R.M. Thomson, K. Smith, A.R. Davies. |
|---|-----|------|---|

Quantum Chemistry

- | | | | |
|---|-----|------|---|
| 1 | 49 | ABWB | ONEINT (Fortran). Dipole and overlap integrals between Slater—type functions and continuum Coulomb functions. K.K. Docken, A.L. Ford. |
| 2 | 237 | ACWO | OCEP W.F. AND STATIC POTENTIAL (Fortran). A new version of a program calculating the static interaction potential between an electron and a diatomic molecule. F.A. Gianturco. See other version of this program ACQW 2(1971)261. |

Solid State Physics

- | | | | |
|---|-----|------|--|
| 2 | 257 | ACKI | EPR SPIN HAMILTONIAN PARAMETERS (Fortran). Program for optimal computation of EPR spin—Hamiltonian parameters for ions in tetragonal symmetry. A.S. Stefanescu. |
| 2 | 279 | ACKK | NONLIN (Fortran). Nonlinear computation of anisotropic elastic fields about straight edge dislocations. P. Petrasch. |
| 3 | 339 | ACKL | ANISCO (Algol). Computation of the anisotropic cubic elastic Green's tensor function and the elastic energy coefficients of point defects in crystals. R.K. Leutz, R. Bauer. |